ELSEVIER

Polymer Gels and Networks **5** (1997) 593–596
© 1998 Elsevier Science Limited
Printed in Northern Ireland All rights received

CONTENTS OF VOLUME 5

Number 1

Relative humidity and temperature effects on mechanical and water vapor barrier properties of myofibrillar protein-based films. 1
B. CUO, N. GONTARD, C. AYMARD & S. GUILBERT (France)

A note on the selectivity of γ-radiation polymerised molecularly imprinted poly (HEMA) 17
K. SREENIVASAN (India)

Brillouin scattering study of gelatin gel 23
P. ZHAO & J. J. VANDERWAL (Canada)

Relaxation of stress and orientation in thermo-reversible networks. 37
A. DARDIN, H. W. SPIESS, R. STADLER (Germany) & E. T. SAMULSKI (USA)

Non-linear constitutive equations for viscoelastic behaviour of elastomers at large deformations. 55
G. SPATHIS (Greece)

The gel point as reference state: a simple kinetic model for crosslinking polybutadiene via hydrosilation 69
M. E. DE ROSA, M. MOURS & H. HENNING WINTER (USA)

Kinetic study of swelling of rubbery poly(ethyl methacrylate) networks in 2-hexanone 95
K. K. CHEE (Malaysia)

Calendar 105

Number 2

Determination of the elastic modulus of superabsorbent gel beads 107
A. KNAEBEL, S. R. REBRE & F. LEQUEUX (France)

Structure of poly(vinylidene fluoride) gel electrolytes 123
A. M. VOICE, G. R. DAVIES & I. M. WARD (UK)

Fast responsive poly(*N*-isopropylacrylamide) hydrogels prepared by γ-ray irradiation 145
R. KISHI, O. HIRASA & H. ICHIJO (Japan)

Structural morphology developments in the interfacial phase of heterocoagulated composite particles: dynamic mechanical measurements 153
Y.-J. PARK, H.-J. HA & J.-H. KIM (South Korea)

Phase transition of polyacrylamide gels in PEG solutions 167
N. KAYAMAN, O. OKAY & B. M. BAYSAL (Turkey)

Interactions between covalently crosslinked ethyl(hydroxyethyl)cellulose and SDS. 185
O. ROSÉN & L. PICULELL (Sweden)

End-linked calibrated polypropylene–oxide chains. NMR approach to segmental fluctuations. 201
J. P. COHEN ADDAD, L. PELLICIOLI (France) & J. J. H. NUSSELDER (The Netherlands)

Calendar 223

Number 3

Review paper

New hydrogels based on carbohydrate and on carbohydrate–synthetic polymer networks 225
V. CRESCENZI, G. PARADOSSI, P. DESIDERI, M. DENTINI, F. CAVALIERI, E. AMICI & R. LISI (Italy)

Evidence for a conformational transition in curdian. 241
M. TAKO & I. HANASHIRO (Japan)

Responsive conducting polymer–hydrogel composites. 251
C. J. SMALL, C. O. TOO & G. G. WALLACE (Australia)

Preparation of Bi-based superconducting fiber by metal biosorption of Na-alginate 267
T. SHIMIZU & A. TAKADA (Japan)

A proton NMR investigation of crosslinks and entanglements in polyethylene networks and star polymers. 285
M. E. RIES, M. G. BRERETON, P. G. KLEIN & P. DOUNIS (UK)

Short Communication

Swelling of poly-L-lysine and chitosan-coated superswelling sodium-alginate gel beads 307
M. H. OTTØY & O. SMIDSRØD (Norway)

Calendar 315

Number 4

Swelling behavior of a blend hydrogel made of poly(allylguanidino-*co*-allylamine) and poly(vinyl alcohol) 317
K. IIO & N. MINOURA (Japan)

The creation and spatial structure of end-linked bimodal polymer networks: a Monte Carlo study. 327
C. HAGN, M. WITTKOP, S. KREITMEIER, H. L. TRAUTENBERG, T. HÖLZL & D. GÖRITZ (Germany)

Swelling of polyacrylamide gels in aqueous solutions of ethylene glycol oligomers. 339
N. KAYAMAN, O. OKAY & B. M. BAYSAL (Turkey)

Polyampholyte gels: swelling, collapse and interaction with ionic surfactants 357
LE THI MINH THANH, E. E. MAKHAEVA & A. R. KHOKHLOV (Russia)

Cyclic voltammetric study of redox-active surfactant by hydrogel-modified electrode 369
Y. TAKEOKA, T. AOKI, K. SANUI, N. OGATA & M. WATANABE (Japan)

Calendar 385

Number 5

Aggregation behaviour below the gelation threshold for metal–olefin coordination in diene polymers. 387
F. BOSSÉ, P. DAS & L. A. BELFIORE (USA)

Ferrogel: a new magneto-controlled elastic medium. 415
M. ZRINYI, L. BARSI & A. BÜKI (Hungary)

Anisotropic swelling behavior of copolymeric gel film with crystalline oriented side chains 429
X.-W. HE, A. TAKAHARA & T. KAJIYAMA (Japan)

A biochemo-mechanical system consisting of polymer gels with immobilized glucose dehydrogenase. 439
E. KOKUFUTA & Y. AMAN (Japan)

States of water in poly(vinyl alcohol) hydrogels 455
M. NAGURA, N. TAKAGI, H. KATAKAMI, Y. GOTOH, Y. OHKOSHI, T. KOYANO & N. MINOURA (Japan)

Calendar 469

Number 6

Gel formation of polyacrylamide in the presence of glyoxal for water control application 471
M. HAN, G. MULLER & A. ZAITOUN (France)

Swelling equilibria and volume phase transition of polyelectrolyte gel with strongly dissociated groups. 481
J. TRAVAS-SEJDIC & A. EASTEAL (New Zealand)

A method for studying swelling kinetics based on measurement of electrical conductivity 503
M. J. LESHO & N. F. SHEPPARD (USA)

Networks based on chitosan and oxidized cyclodextrin — II. Structural and catalytic features of a copper (II)-loaded network. 525
G. PARADOSSI, E. CHIESSI, F. CAVALIERI, D. MOSCONE & V. CRESCENZI (Italy)

Gel point in physical gels: rheology and light scattering from thermoreversibly gelling schizophyllan 541
T. FUCHS, W. RICHTERING, W. BURCHARD (Germany), K. KAJIWARA & S. KITAMURA (Japan)

Temperature sensitivity of a hydrogel network containing different LCST oligomers grafted to the hydrogel backbone. 561
T. INOUE, G. CHEN (USA), K. NAKAMAE (Japan) & A. S. HOFFMAN (USA)

Short Communications

Force relaxation of single spherical gel beads under compression 577
A. KNAEBEL & F. LEQUEUX (France)

Change in Young's modulus of poly(*N*-isopropylacrylamide) gels by volume phase transition 585
T. TAKIGAWA, T. YAMAWAKI, K. TAKAHASHI & T. MASUDA (Japan)

Calendar 591

Contents of Volume 5 593